

Advanced Design and Evaluation of Interactive Systems

Professor: Wendy Mackay mackay@lri.fr
TA: Mariana (Mai) mciolfi@lri.fr

Slides: <http://insitu.lri.fr/People/AdvancedDesignOfInteractiveSystems2017>
HCI Bootcamp slides: <http://insitu.lri.fr/People/HCIBootcamp2017>

ExSitu lab, Inria & Univ. Paris-Sud
22 February 2018

Participatory Design workshop

Each group should have prepared a 75-minute participatory design session for another group

- Design 3 activities (NOT interviews!)
- Create 3 method cards

Ensure that you use the whole session!

If your session is too short or if it isn't working
use prepared backup activities

Do not waste participants' time!

Participatory design workshops

EVERYONE participates!!!

Designers do not act as independent observers

BUT design team has additional roles:

Moderator

presents instructions

keeps track of time

answers questions

Scribe

writes notes

Videographer

operates camera

Participatory design workshops

Plan for:

instruction time

activity time

debriefing time

Use Video Clipper: as a guide for running the workshop



Create a sequence of Method Cards

Add title cards with timing and other information

(not visible to workshop participants)


Shoot video of the activity or the artifacts,
organized by method

Each group should have
<p>Design concept Storyboard</p> <p>Consider?</p> <ul style="list-style-type: none"> What are the objects of interest? What instrument(s) were reified? How does the user discover useful properties? How does the user manipulate those properties?




Describe a design concept
<p>How will the system work?</p> <ul style="list-style-type: none"> Functionality what should it do? User guide how does it work? Scenario what happens in real-world contexts? <p>Justification</p> <ul style="list-style-type: none"> What are the alternatives? What are the advantages and disadvantages of this solution?

Reminders	
Instrumental interaction principles	
Reification	What actions are objects? Scrolling -> scroll bar
Polymorphism	What can each tool do? Scroll text, scroll images
Reuse	How can user reuse previous actions? Replay script of previous scrolling

Generative power: Three design principles	
Reification extends the notion of what constitutes an object	
Polymorphism extends the power of commands with respect to these objects	
Reuse provides a way of capturing and reusing interaction patterns	



Can you explain your design?	
Top-down or Bottom-up?	<p>(according to Gary Larson ...)</p> 


Exploded diagrams

Top-down explanation:

What are the main components?

What are the main functions?

How does it work?




Process diagrams

Top-down explanation:

What are the main actions?

What happens when?



Generative deconstruction

Lecture topics

Group exercise

Socio-technical design principles

Co-adaptation

Distributed Cognition

Peripheral Awareness

Rhythms and Routines

Situated Action

Generative walkthrough

What are socio-technical principles ?

Social scientists conduct extensive field studies and provide deep insights in the form of **socio-technical principles** about how people interact with technology in context

But
it is difficult to translate these principles into specific designs

Generative Deconstruction & Reconstruction

Create a scenario-based artifact that captures current user behavior -- or -- illustrates what has been designed

First **deconstruct** what is going on:

Who is the user?
What is the technology?
What is the user's context?
What is the interaction like?


Then **reconstruct** the design using socio-technical principles to design a new technology or to fix an existing one

Examples: Socio-technical Principles

Situated Action <i>beyond planning</i>	Go beyond planned activities; Users decide how to act in unforeseen circumstances
Rhythms & routines <i>identify use patterns</i>	Build upon routine activities and spatial patterns; Users integrate systems into their daily lives
Peripheral awareness <i>design the periphery</i>	Design for both focus and periphery; Users vary degree of engagement
Co-adaptation <i>re-interpret use</i>	Expect users to re-interpret and customize; Enable capture and sharing of customizations
Distributed cognition <i>"outside the head"</i>	Let objects and other people reduce cognitive load for memory or communication tasks

Generative Deconstruction

Apply socio-technical principles to generate grounded designs



Reflecting on Post-It Notes


What is a 'post-it note'?
 What are they used for?
 What are their most important properties?
 Why do they work?
 Have you seen any creative uses of post-it notes?




Organize with Post-Its




Agenda Post-Its



Printed Post-It Notes






Socio-technical Principles	
Situated Action <i>beyond planning</i>	Go beyond planned activities; Users decide how to act in unforeseen circumstances
Rhythms & routines <i>identify use patterns</i>	Build upon routine activities and spatial patterns; Users integrate systems into their daily lives
Peripheral awareness <i>design the periphery</i>	Design for both focus and periphery; Users vary degree of engagement
Co-adaptation <i>re-interpret use</i>	Expect users to re-interpret and customize; Enable capture and sharing of customizations
Distributed cognition <i>"outside the head"</i>	Let objects and other people reduce cognitive load for memory or communication tasks

Situated Action

Situated Action	Lucy Suchman
<p>We can plan our activities but we always act within a real-world context</p> <p>How do users modify plans based on context? How do they handle interruptions? Breakdowns?</p> <p>As designers, how do we let users change their plans at any moment?</p>	


Situated Action

The plan consisted of navigating on a direct course from point A to point B including a small detour to avoid a rock. In reality, the course was an intricate series of adjustments to circumstances including changing wind, water currents, drift, and operator over-compensation.



Situated Action

- What actions emerge when the user is in a specific situation?
(*Emergent action*)
- What objects are physically next to each other?
(*Co-located artifacts*)
- What are useful properties of the physical objects involved?
- What are useful properties of the surrounding environment?



Situated Action

Sandy wants to meet with Fred this week, but doesn't know exactly when. She adds a post-it to her calendar, in no particular spot, to remind her to find a time to talk to Fred.

Emergent action:

Sandy knows that the dates may change, her system is flexible


Co-localisation of artifacts:


Sandy knows that when she next looks at the calendar, she'll see the post-it.



Situated Action


- What is Sandy's problem?
- How does she use the post-it note to solve the problem?
- Explain why this is an example of situated action.



Situating Action	
<p>What properties make it work?</p> <ol style="list-style-type: none"> What does Sandy do in what specific situation? (<i>emergent action</i>) What objects are physically next to each other? (<i>co-located artifacts</i>) What are useful properties of the physical objects involved? What are useful properties of the surrounding environment? 	

Rhythms & Routines

Rhythms et Routines	
<p>Biological rhythms Our bodies are all influenced by external events the sun rises, the night falls, days pass which influences when we are hungry and sleepy</p> <p>Established routines <i>Temporal routines</i> We go to work or eat meals at regular times Morning commute, breakfast, <i>Spatial routines</i> We organize our activities in regular places, Desk at work, kitchen organization</p>	

Rhythms and Routines	
<p>Ralph took a call from his son's girlfriend, Tara. He wrote a message on a post-it note and left it at his son's place at the dinner table.</p> <p><i>Temporal rhythm/routine:</i> Ralph knows his son will come home at dinner time, because he is hungry</p> <p><i>Spatial routine:</i> Ralph knows where his son sits at the table</p> <p>:</p> <p>:</p>	
	

Rhythms and Routines

1. What is Ralph's problem?
2. How does the post-it note solve it?
3. Why is this an example of
both *rhythms*
and *routines*



Rhythms and Routines

What properties make it work?

- a. What makes Ralph come home?
- b. How does Ralph know where to sit?
- c. Will it work if dinner is late?



Peripheral Awareness

Peripheral Awareness

Human perception involves both
focus and **periphery**

Example: Vision


Central vision: you see color, detail


Peripheral vision: you see black & white, movement


Most interactive system designers assume
they have the user's full attention

... but users multi-task and live in a complex world

How can we design for what happens in the periphery?

Peripheral Awareness	
<p><i>Paul writes his chores on post-it notes on the fridge. He rarely reads them, but when he sees that it's "too yellow", he knows it's time to stop procrastinating and get to work.</i></p> <p>Focused attention: Paul can read the note when he's ready to act</p> <p>Peripheral awareness: Paul senses when there are lots of post-its and he should act</p>	

Peripheral Awareness	
<ol style="list-style-type: none"> 1. What is Paul's problem? 2. How does he use the post-it note to solve the problem? 3. Explain why this is an example of peripheral awareness. 	

Peripheral Awareness	
<p>What properties make it work?</p> <ol style="list-style-type: none"> a. What happens when Paul does not pay much attention? b. What happens when Paul is actively engaged in a task? c. How does Paul transition between levels of attention? d. What tasks are appropriate for what types of awareness? 	

Distributed Cognition

Distributed Cognition

Physical objects form part of our memory
It is not necessary to remember everything

Objects can be shared among people
but they are not necessarily interpreted the same

Distributed Cognition


Dan and Mary share a home computer. Dan leaves a post-it note with the list of commands needed to perform a specific function.

Memory aid:

The post-it allows them to forget the details – they know where to find them


Boundary object:

Dan and Mary use the instructions differently



Distributed Cognition


1. What are Dan's and Mary's problems?
2. How do they use a post-it note to solve their problem?
3. Explain why this is an example of distributed cognition.



Distributed cognition

What properties make it work?

- a. What objects in Dan's environment aid his memory?
- b. What properties of post-it notes help support distributed cognition?
- c. How will other people interpret this post-it?
(boundary objects)



Co-Adaptive Systems

Co-Adaptive Systems

Designers of interactive systems assume that users will use them as intended

But ...

although users clearly learn to use new systems, adapting their behavior according to the system design

They also adapt them to meet their own needs

How can we make interactive systems easier to learn and easier to appropriate in creative ways?

Co-Adaptive Systems


Ann is given a business card and is afraid to lose it so she uses a post-it note to attach it to her agenda.

Adapt to it:

Ann understands the properties of post-it notes (designed to stick on to paper)

Adapts it:


Ann uses the post-it for a new purpose (as glue)




Co-Adaptive Systems

What properties make it work?



- What does Ann need to know about the post-it note?
- What elements were left 'open' to interpretation?
- How was the post-it customized?
- Can this customization be shared or applied in different situations?





So ...
How do we incorporate socio-technical principles into the design process?

Generative Walkthroughs: Creative redesign
 <p>Structured walkthroughs Systematic critique of design artifacts, such as scenarios & storyboards</p>

Generative Walkthroughs: Creative redesign
 <p>Structured walkthroughs Systematic critique of design artifacts, such as scenarios & storyboards</p> <p><i>plus</i></p>  <p>Focused brainstorming Generation of novel ideas, based on socio-technical principles</p>

	Exercise: Generative Walkthrough
Goal	Deconstruct your system based on socio-technical design principles, then reconstruct it, using them to generate new ideas for improving the system
Procedure	<p>Choose one of the principles (or assign a principle to different team members)</p> <p>Reread the storyboard out loud</p> <p>Go through the storyboard, step-by-step, examining each interaction point</p> <p>Generate at least <i>six ideas</i> inspired by <i>one of the principles</i> to improve the system from the user's perspective</p>

	Exercise: Generative Walkthroughs
	Analyze your storyboard
scenario or storyboard	<div> <div>situated action</div> <div>rhythms & routines</div> <div>peripheral awareness</div> <div>co-adaptive systems</div> <div>distributed cognition</div> </div>

	Exercise: Generative Walkthrough
	<ol style="list-style-type: none"> 1. Read your storyboard out loud 2. At each interaction point: <ul style="list-style-type: none"> - Identify examples of reification, polymorphism, reuse - Identify any existing socio-technical principles 3. Generate ideas for improving the scenario <ul style="list-style-type: none"> - you must use at least two principles <p>Goal: Improve your scenario so that you have at least six new interaction points that illustrate socio-technical principles</p>

	Final Presentation
Friday 14:00	Building 660 (Digiteo) Amphitheater
	15-minute presentation per group plus 5-minute discussion All members of the group participate in the presentation
Introduction	Project name and design concept: Problem to solve? Solution?
Story	Illustrate the design concept
Justification	Which principles did you choose? Why? (justify based on user studies)
Conclusion	What worked? What didn't? Future?

Grading
<p>Jury will judge on:</p> <p>Creativity</p> <p>Design principles:</p> <p>Required: reification, polymorphism, reuse, co-adaptation</p> <p>Optional: situated action, peripheral awareness, rhythms & routines, distributed cognition</p> <p>Relationship with user studies</p> <p>Justification</p> <p>Tell a story that illustrates how your design concept is used</p> <p>Avoid making a "How to" tutorial or a marketing video</p>

Socio-technical Principles
<p>Situated Action <i>beyond planning</i> Go beyond planned activities; Users decide how to act in unforeseen circumstances</p> <p>Rhythms & routines <i>identify use patterns</i> Build upon routine activities and spatial patterns; Users integrate systems into their daily lives</p> <p>Peripheral awareness <i>design the periphery</i> Design for both focus and periphery; Users vary degree of engagement</p> <p>Co-adaptation <i>re-interpret use</i> Expect users to re-interpret and customize; Enable capture and sharing of customizations</p> <p>Distributed cognition <i>"outside the head"</i> Let objects and other people reduce cognitive load for memory or communication tasks</p>